



202240-67267001

Patent Application of

Donald Jeffrey Boatwright

for

**TITLE: THE CARD SLOT**

**FEDERALLY SPONSORED RESEARCH**

Not Applicable

**SEQUENCE LISTING OR PROGRAM**

Not Applicable

**BACKGROUND - FIELD OF INVENTION**

The present invention relates to index cards, specifically to a device, which allows the user to view, hold, and store index cards in a very assessable manner with the outer card in

full view. The present invention can be attached by means of a pressure sensitive adhesive to any object or surface for convenient access.

## BACKGROUND - DESCRIPTION OF PRIOR ART

Index card storage containers have been used for many years. Numerous index card storage boxes or containers exist for holding larger quantities of cards. Some smaller portable storage containers exist as described below. Most of these containers hold the index cards in a manner which does not allow the user to see what is on the outer card, and the containers are mostly a type of complete enclosure which does not allow the user to write on or read from the outer card while in the container.

Several types of holding devices which can store index cards have previously been proposed – for example, in U.S. patents 6,099,188 (2000), 6,189,689 (2001), 5,992,618 (1999), 5,775,522 (1998), and 6,203,878 (2001). All of these patents provide very useful capabilities for holding and storing index cards, but none of these or any others provide the capabilities of the present invention which allows index cards to be stored and retrieved with the top card in full view from an unlimited number of convenient locations to which the present invention can be attached.

U.S. patent 6,099,188 (2000) describes an organizer notebook for holding index cards which are simply inserted into a flap on the notebook. This device also includes a cardholder which is retained in the notebook and is similar to a Rolodex. U.S. patent 6,189,689 (2001) describes a small carrier designed with a flap to retain small objects, such as index cards. U.S. patent 5,992,618 (1999) describes another type of pocket carrier for index cards which has a pivoting cover that snaps closed. U.S. patent 5,775,522 (1998) describes a device which is used as a card holder with integral divider. U.S. patent 6,203,878 B1 (2001) describes a device which when attached to a bulletin board can be used as a card holder. U.S.

*Cited references  
considered  
2007/026/001*

patent 6,189,689 (2001) is the only device mentioned above which can be attached to the surface of another article, but the outer card is not in view of the user nor can the outer card be written on while in the device.

No existing prior art provides the user with the number of possible uses for index cards as does the present invention. The present invention allows the user immediate access to index cards in numerous convenient locations when the device is attached to an object or surface at that location. The present invention secures and holds these cards with full view of the top card providing more advantages than a simple slot type holder which does not grip the cards in place. The present invention allows the user to write on the top card while this card remains in the device. The present invention also allows the user much greater accessibility while removing or replacing cards into the device, since there is no flap or cover.

### **Objects and Advantages**

Accordingly, the key object of the present invention is to provide a convenient means for a user to store and use index cards while being able to write on and read from the front card in the stack. Because the front card is still in full view, the user is able to be reminded of the cards and what is written on them. The advantages of being able to keep notes or cards immediately available in any location the user desires are numerous. The present invention allows students to study more effectively when using note cards; the device allows anyone who uses notebooks or planners to be more productive. The pressure sensitive adhesive on the back of the present invention allows the user to attach the device to most any object or surface. Some of the many examples of the advantages and possible uses for the present invention are:

a) access and view of index cards from inside notebook covers, binder covers, or book covers when the Card Slot is attached.

b) access and view of index cards from notebook inserts which can have one, two, or three Card Slots attached to each side of each insert page.

c) access and view of index cards from any surface at a work station which has the Card Slot attached, such as on the perimeter of a computer monitor or other objects near the user.

d) access and view of recipe index cards from a convenient location in the kitchen where the cook can see the recipe card.

e) access and view of index cards from a convenient location anywhere in the home such as the shop area, garage, or even the night stand next to a bed.

f) access and view of index/study cards from a convenient location in the users dormitory, such as next to the users desk or bed.

g) access and view of index cards while in a car, boat, or an airplane (for the pilot).

This invention allows users to be able to write down and remember important ideas and information when they think of them at any time in many convenient locations as determined by the user. Full view of the outer card also allows the user to be reminded of what is written on the card; so that what is not out of sight is not out of mind.

## SUMMARY

The present invention allows the user to hold and store index cards in a very convenient manner. Index cards, typically 3" by 5" in size (but could be smaller or larger), can be placed into the holding slots of the device. The present invention which has a pressure sensitive adhesive on the back side allows the user to attach the device to most any surface area desired (even flexible surfaces). The user can easily remove or replace the cards with other cards (or the same cards) by simply slipping the existing card(s) out and sliding a new (or the same) card(s) back in place. The device can be constructed of inexpensive plastic or

2022-10-05 16:26:00

metal. The present invention comprises an inner flat plate piece slightly larger than the cards to be held to which two middle spacers are attached, and two outer end caps which are attached to the middle spacers. The flat plate piece, middle spacers, and the end caps provide a means for gripping the outer edges of the index cards while allowing the card(s) to be removed and put back into place. The gripping pressure results from the thickness of the cards which are stacked on top of each other to create a snug fit when placed into the edge slots of the device. The device can also be attached to Velcro which could then be attached to a surface for a more temporary application.

## **DRAWINGS**

### **Drawing Figures**

Figure 1 shows a top side plan view of the inner flat plate piece which has pressure sensitive adhesive on the back side.

Figure 2 shows a top side plan view of the two middle spacer pieces which are mirror images and which have pressure sensitive adhesive on both sides.

Figure 3 shows a top side plan view of the two outer end cap pieces.

Figure 4 shows a sectional view of the present invention which consists of all five pieces, and the resulting two end slot gaps where the edges of the index cards are inserted. The thickness of each piece is overemphasized for clarity.

Figure 5 shows a top side plan view of the present invention with all pieces in place along with index cards inserted into the device.

2022-04-06 16:26:00

## Reference Numerals in Drawings

- 10 index cards
- 12 pressure sensitive adhesive surface
- 14 inner flat plate piece (one)
- 16 middle spacers (two each (mirror images), one each side)
- 18 outer end caps (two each, one each side)

## DETAILED DESCRIPTION

### Description-Figs. 1-5-Preferred Embodiment

A preferred embodiment of the present invention is illustrated in Fig 1, Fig 2, Fig 3, Fig 4, and Fig 5. This embodiment consists of five pieces, including a flat plate piece **14**, which is slightly larger than the card or cards **10** to be held, two middle spacer pieces **16**, and two outer end cap pieces **18**. These five components can be constructed of plastic or light weight metal such as aluminum. The inner flat plate piece **14** is approximately two to four inches in width by approximately four to six inches in length, and approximately 1/32nd to 1/16th inch in thickness. The two middle spacer pieces **16** are approximately two to four inches in length which is the same as the width of the flat plate piece, approximately one quarter to one half inch in width along the main body with an additional width of approximately one quarter to one half inch at one end, and approximately 1/32nd to 1/4th inch in thickness depending on how many cards are to be held in the device. The two outer end caps **16** are approximately two to four inches in length which is the same as the width of the flat plate piece **14**, approximately one half to one inch in width, and approximately 1/32nd to 1/8th inch in thickness.

202210-04222

The middle spacer pieces 16 have pressure sensitive adhesive on both sides allowing the flat plate piece 14 and the outer end cap pieces 18 to be closely connected to the middle spacer pieces 16 in a sandwich like construction. The extended width of the end cap pieces 18 beyond the width of the middle spacer pieces 16 creates a slot or gap between the end cap pieces 18 and the flat plate piece 14. The resulting slot allows the outer edges of multiple cards 10, typically 5 to 20 cards, to be held in place while also allowing these card(s) to be removed and replaced easily. The additional width at one end of each of the middle spacer pieces 16 prevents the cards from sliding out the back of the device when the cards are slid into place. The holding pressure of the end cap pieces 18 is created by the thickness of multiple cards 10 when the cards are inserted into the slot or gap created by the middle spacer pieces 16. The resulting pressure applied to the cards 10 will depend on the exact number of cards inserted into the device by the user. The position and shape of the end cap pieces 18 allow the outer card to be in full view to the user.

The back side of the flat plate piece 14 has a pressure sensitive adhesive applied which allows the device to be attached to numerous types of surfaces. The attachment is typically permanent, unless the adhesive is providing a connection to a piece of Velcro material which is similar in surface area as the flat plate piece 14 which would then provide a temporary or moveable attachment.

#### **Figs 2A-2D- Additional Embodiments**

The same as the preferred embodiment, but manufactured as a single piece of plastic via injection molding and or machining techniques. This method of manufacture would require a thin slot or slit to be cut between the inner and outer portions where the card edges would be held in place.

## Operation—Figs 1-5

The manner of using the present invention is very simple and consists of the user removing the stick resistant paper on the back of the flat plate piece 14 which covers the pressure sensitive adhesive, and pressing the device against any surface and location desired by the user. The user can then insert a relatively small number of cards, typically five to twenty cards, into the slot between the flat plate piece 14 and the outer end caps 18. The outer card will always be in full view of the user. The user can then remove and replace any number of cards desired from and back into the device.

## Conclusion, Ramifications, and Scope

Thus the reader will see that the present invention provides a very convenient means for users of all ages to store and access index cards in numerous locations thus allowing the user to complete tasks in a more organized and efficient manner.

- No other index card holding device allows the user to keep their cards in so many convenient locations with the outer card in full view and fully accessible to write on.
- Not only are the index cards stored in a place which makes it hard to forget, but they can be accessed very easily when new ideas come to mind and need to be written down. The present invention allows the user to remove and replace cards into and out of the device very easily without having to open a flap or cover.
- Some of the many advantages of the present invention over prior art have been described above, but a few of the improved capabilities and uses for the user include: convenient access of To Do lists, convenient access of check lists or procedures, convenient means to record ideas immediately before they are

10079279-042202  
2022-10-26 14:22:02



forgotten, or storage of very important reminders and motivational sayings. Now the excuse of "Out of sight, Out of mind" is no longer valid.

The invention can be made of various types of plastic or metal. Plastic appears to be the most logical and economical choice in terms of costs and ease of manufacturing. The costs required by a user to purchase this device would be minimal, especially compared to the potential savings in time and money that can result from not forgetting to do important tasks.

Accordingly, the scope of the present invention should be determined not by the embodiments illustrated, but by the claims and their legal equivalents.

2022-05-26 10:07:59.042202